

Raynet One Data Hub 2025.4

25.4.7194.265 [Update 2]

Released on Apr 17, 2026

New Features

Palo Alto Prisma Cloud CSPM Connector RCP-438

Added a new connector for Palo Alto Prisma Cloud CSPM to retrieve devices, Kubernetes resources, licensing information, and application inventory.

Certificate Authentication for Intune Connector RCP-648

The Intune connector now supports certificate-based authentication in addition to existing authentication methods.

Security and Infrastructure Improvements

Reduced Docker Image Footprint RREP-1207

Removed unnecessary development packages from Data Hub Docker images to improve security posture and reduce image size.

Non-Root Container Support RREP-1208

Docker containers now support running as non-privileged users, aligning with enterprise security policies that require restricted container permissions.

Connector Improvements

Oracle Cloud Infrastructure (OCI) Connector RCP-450

Improved Oracle Cloud Infrastructure connector performance and reliability.

Data Collection and Processing Improvements

MS365 SignIns Performance Optimization RCP-574 , RCP-629

Significantly improved MS365 SignIns data collection performance, reducing processing time and memory consumption for large datasets.

IT Visibility Task Performance RREP-1243

Optimized IT visibility task query, reducing execution time from over 20 minutes to approximately 5 seconds.

Validation Rules Fixed RREP-1141

Restored validation rule enforcement so that tasks properly report failures when validation checks detect issues.

Resolved Issues

API and Data Access

- Fixed an encoding issue in paged data exports that could cause errors in some client applications. RREP-1166
- Resolved Raw Data group by Task Type not displaying all task types. RREP-1237
- Fixed Dashboard Share functionality not working in both Docker and MSI deployments. RREP-1240

User Management

- Fixed password format error when editing users without changing passwords. RREP-1267
- Enabled password policy enforcement in Site Administration Edit User dialogue. RREP-1241

Application Startup

- Resolved startup failure (HTTP Error 500.30) caused by missing database columns after migration. RREP-1199
- Fixed Python and Kotlin connectors not appearing after license activation until application restart. RREP-1215

Data Migration

- Fixed a migration issue causing missing fallback values for Raynet One related transformation steps. RREP-1261

Connector Fixes

Microsoft Ecosystem

- Fixed MS365 SignIns not writing results to database. RREP-1244
- Resolved Intune Devices task failures with invalid column name errors. RREP-1248
- Fixed Intune connector not returning data and incorrectly reporting task as successful. RCP-586 , RCP-482
- Improved Intune connector performance and added field descriptions. RCP-458 , RCP-387
- Fixed Microsoft 365 connector performance issues. RCP-465
- Resolved Microsoft Azure SQL connector not returning data. RCP-562

AWS and Cloud Providers

- Improved AWS EC2 field descriptions and multi sub-account handling. [RCP-626](#)
- Fixed AWS EC2 connector not returning data. [RCP-563](#)
- Resolved AWS Organizations connector not importing tags. [RCP-564](#)
- Fixed Amazon EC2 connector accepting invalid credentials without proper error reporting. [RCP-500](#)

OpenAI

- Fixed OpenAI connector failing during dataset creation. [RCP-601](#)
- Resolved OpenAI connector failures when using grouping and aggregation options. [RCP-599](#)
- Fixed Limit field not being supported and other issues in OpenAI connector. [RCP-431](#)

VMware and Virtualization

- Fixed vCenter connector returning UUID instead of hostname. [RCP-590](#)
- Resolved VMware vSphere connector not returning license data. [RCP-521](#)
- Fixed Nutanix Prism connector not populating VMs table. [RCP-606](#)
- Resolved OpenStack Nova connector authentication error. [RCP-469](#)
- Fixed WorkspaceOne connector duplicates and missing items. [RCP-543](#)
- Resolved ServiceNow connector failing for cmdb_ci_pc_hardware table. [RCP-411](#)
- Fixed LeanIX connector missing fields in relation sub-query. [RCP-569](#)
- Resolved Atlassian Admin API connector not returning data. [RCP-560](#)
- Fixed Jamf Pro connector reporting success with invalid credentials. [RCP-492](#)
- Resolved Cisco Meraki connector providing unclear error messages. [RCP-499](#)
- Fixed Cloud Academy connector displaying technical error details instead of user-friendly messages. [RCP-498](#)
- Resolved Catalog connector producing duplicates for SoftwareFunctionMatching table. [RCP-613](#)

Other Connectors

Connector Framework

- Fixed connector export failures when using MariaDB or SQL Server as target databases via ODBC. [RCP-374](#)
- Fixed an intermittent error in the LYNX data processing engine. [RCP-623](#)
- Fixed most connectors not respecting configured proxy settings. [RCP-585](#)
- Improved error handling for unsupported UEM endpoints. [RCP-583](#)
- Fixed Python connectors returning incorrectly structured data. [RCP-579](#)

- Corrected various typos found during text review. RCP-395
-


2025.4.7125.248 [Update 1]

Released on Feb 16, 2026

New Features


Added ECCN and CCATS Export Compliance Tracking RREP-1085

Raynet One Technology Catalog Connector has been extended to include *Export Control Classification Number (ECCN)* and *Commodity Classification Automated Tracking System (CCATS)* information for improved export compliance tracking. This new feature enables organizations to track export control classifications for software assets, supporting compliance with international trade regulations.

 ECCN data is automatically included in software enrichment results when fingerprints are matched, requiring no changes to existing enrichment workflows.

EPSS and KEV Vulnerability Risk Assessment RREP-728

We integrated Exploit Prediction Scoring System (*EPSS*) and CISA Known Exploited Vulnerabilities (*KEV*) data to enhance vulnerability risk assessment. This enhancement provides automated threat intelligence enrichment and enables priority-based vulnerability remediation recommendations.

 EPSS and KEV data is automatically included in software enrichment results when fingerprints are matched, requiring no changes to existing enrichment workflows.

Built-in Matching Table Between Devices and Operating Systems RREP-1035

We added a new standard task to match devices and their respective operating systems using the Technology Catalog connector. This feature provides automated OS metadata enrichment through integration with Catalog OS data tables, enabling enhanced OS identification and classification. The standard task simplifies the process of maintaining accurate and up-to-date operating system information across the inventory.

LeanIX Enterprise Architecture Management Connector RCP-347

We added a new connector for LeanIX Enterprise Architecture Management platform integration.



This connector enables bidirectional data synchronization with LeanIX, supporting application portfolio management integration, IT component and service mapping, and architecture visualization.

Other Improvements

- Enhanced report export functionality to respect active filters when exporting data, ensuring exported reports now match the filtered view displayed in the user interface instead of exporting all records regardless of applied filters. [RREP-448](#)

Resolved Issues

- Fixed Raynet One API Connector FQDN duplication issue where domain was incorrectly appended twice, and increased request timeout from `100` to `300` seconds to handle large data queries [RREP-1147](#)
- Updated Python and C# connectors (including RNO and MongoDB) to use Data Hub proxy configurations, eliminating the need for environment variable workarounds [RREP-1106](#)
- Fixed SQL timeout issues caused by thousands of orphaned backup table references through automatic cleanup on server startup [RREP-1087](#)
- Fixed WorkspaceOne Connector showing only one-third of devices with many duplicates by correcting batch-size parameter calculations and query pagination [RCP-543](#)
- Fixed data transformation failures when processing Raynet One data missing the edition column by adding null-safety checks [RREP-1068](#)
- Fixed arithmetic overflow errors in Raynet One connector when processing large numerical values through proper data type handling [RREP-1066](#)
- Fixed double encryption issue in task configuration backups by detecting encryption state before backup [RREP-1053](#)
- Fixed incorrect or missing installation dates in software result tables for `RaynetOneApi-Software0S` entries [RREP-1046](#)
- Removed discontinued Microsoft products from Office 365 Optimization dashboard to ensure accurate reporting [RREP-1044](#)
- Added edition field to Software and Software Summary tables to enable proper software edition tracking [RREP-1034](#)
- Fixed missing `Edition` and `LanguageCode` data in Raynet One API Connector [RREP-1033](#)
- Fixed locale-specific decimal conversion error in the Slack connector [RREP-952](#)

2025.4.7089.237 [RTM]

Released on Dec 19, 2025

Native OpenShift Deployment for Enterprise Scalability RREP-663

We are significantly enhancing deployment flexibility and resilience by introducing full support for OpenShift container orchestration. Raynet One Data Hub images can now be natively deployed within OpenShift environments, enabling organizations to leverage this enterprise-grade platform for superior scalability, security, and container management.

This deployment option fully supports using MariaDB as the primary database backend, offering increased choice and flexibility for customers managing diverse database portfolios.

Extended Technology Catalog & AI Intelligence

Raynet One Data Hub significantly deepens its asset intelligence with a major update to the Technology Catalog attributes. As software ecosystems become more complex - spanning mobile, cloud, and AI-driven technologies - ITAM managers require granular data to assess risk, ensure compliance, and optimize spend.

This release introduces expanded platform support and new data attributes, providing a multidimensional view of your software portfolio.

- **AI Capability Detection**

Proactively manage "Shadow AI" and compliance with emerging regulations. The catalog now identifies software containing AI components (such as LLMs) and classifies their integration level- distinguishing between software where AI is a Core Feature versus a Helper/Add-on. RREP-747

- **Expanded Platform Coverage**


We have broadened our recognition capabilities to include non-traditional and cloud-native environments. Support now extends to Android, iPhone/iOS, ChromeOS, IaaS, and Embedded platforms, ensuring total visibility across your mobile and cloud estate. RREP-752

- **Granular License Intelligence**

- A new dedicated boolean column clearly flags software as Open Source, separating this attribute from the general license model for easier risk and compliance filtering. RREP-751
- The Commercial License property now supports "Freemium" and "Subscription" classifications, reflecting modern SaaS monetization strategies. RREP-750

- Users can now consume and display Custom License string properties directly from the catalog for unique licensing scenarios. RREP-749

Air-Gapped & Isolated Network Support RREP-639



Raynet One Data Hub extends its reach into your most secure environments with the introduction of Offline Agents. We understand that critical assets often reside in Demilitarized Zones (DMZs), air-gapped networks, or high-security silos where direct server-agent communication is strictly prohibited or technically impossible.


This feature decouples the dependency on a live network connection between the Raynet One Data Hub server and the deployed agents. IT Administrators can now configure agents to operate autonomously, utilizing secure, asynchronous transfer methods - such as SFTP repositories or physical media (USB) - to exchange tasks and inventory results.

This feature has the following benefits for secure networks:

- Elimination of "blind spots" by successfully connecting to cloud, web and assets in high-security or disconnected zones.
- Maintaining of strict firewall rules and network isolation policies while still gathering essential asset data.
- Flexible transport method that aligns with your specific security protocols (e.g., intermediate storage, secure file transfer).
- Data security when moving files across physical boundaries. All data transfer files are protected using 2048-bit encryption, ensuring that sensitive inventory data remains tamper-proof and unreadable during transit, even if a physical storage device is lost or compromised.

We have designed the offline workflow to be as seamless as your standard agent deployment. It requires a minimal set-up, and the orchestration and definition of tasks is performed just as if they were handled by a “connected” agent.

Delta Change Tracking RREP-729



Raynet One Data Hub introduces powerful Delta Comparison capabilities to the Data Table REST API. We recognize that for efficient ITAM integration, you often need to know what changed rather than retrieving a full data dump every time. This feature enables precise monitoring of data lifecycle events - tracking exactly when records were added, modified, or removed.

By leveraging new API parameters, administrators can now perform differential queries to synchronize external systems faster and create accurate historical audit trails.

This new API adds new capabilities, yet still retaining the original endpoints to get full set of the requested data:

- **Time-Based Filtering**

Retrieve specific datasets based on timing criteria using new parameters such as `createdSince`, `updatedSince`, and `deletedSince`.

- **Deleted Row Tracking**

A dedicated endpoint allows you to fetch rows that have been removed from a table, ensuring your external CMDBs or reporting tools can accurately reflect asset disposal or retirement.

- **Enhanced Metadata**

When enabled, result tables include new metadata columns (for example row's checksum) to provide granular visibility into the state of every record.

To utilize these new API endpoints, the feature must first be enabled globally for the tenant, and the number of persisted snapshots must be set to be at least 1. Once enabled, future task executions will automatically generate the necessary metadata required to track added, changed and deleted rows and history.

Programmatic AI-based Data Fetching RREP-760

API users now have access to a new REST API `/v1/ResultDatabase/fetchViaAi`, which is accessed via a POST method requiring API Key authentication. This endpoint is specialized for fetching pure JSON data and corresponding natural language text, making it ideal for integration without the overhead of dashboard generation.

For security and control, a new permission checkbox has been added during API Key management, allowing administrators to enable or disable access to this feature on a per-key basis; this is enabled by default for new keys but disabled for existing keys for backward compatibility.

Citrix Cloud Session Monitoring RCP-231

Raynet One Data Hub expands its inventory capabilities to virtual desktop infrastructure (VDI) with the new Citrix Cloud Connector. Modern organizations, accurate asset management goes beyond physical hardware to include the virtual workspaces your employees rely on every day.

This feature allows you to seamlessly connect to your Citrix Cloud tenant and import granular session data directly into Data Hub. By centralizing this data, ITAM managers gain critical insights into actual usage patterns, enabling better decision-making regarding license allocation and infrastructure scaling.

The new connectors bridges the gap between physical endpoints and virtual sessions, managing both within a single pane of glass. It allows better understanding of tracked active vs. idle sessions (true consumption behavior), and identification of underutilized Citrix subscriptions or peak usage times to right-size your cloud spending and ensure compliance.

Connector Improvements

• Active Directory

Extended capabilities to now support the collection of custom, user-defined attributes at the group level for enriched directory data. [RREP-758](#) [RCP-228](#) [ZEN-28470](#) [ZEN-32521](#)

• CrowdStrike

The connector now returns Service Pack version (major) and modified timestamp. [RCP-417](#)

[RREP-754](#) [RCP-422](#)

• Microsoft M365

The connector has been significantly extended with four new data queries: [email_activity](#), [onedrive_activity](#), [teams_device_usage](#), and [direct_routing_calls](#) - to retrieve comprehensive usage and activity metrics, including license status, device type usage, and detailed call data.

[RCP-423](#) [ZEN-37536](#) [RCP-53](#) [RREP-754](#) [RCP-422](#)

• Nutanix

Enhanced data retrieval now includes the essential VM-to-Host relationship mapping and the Host serial numbers. [RCP-294](#) [ZEN-34656](#)

• Adobe Admin Cloud

The products data query has been updated to retrieve a complete set of attributes, including [assignedQuantity](#), [code](#), [contractId](#), [customerSegment](#), [delegatedQuantity](#), and all [fulfillableItem](#) and [quantity-related](#) fields. [RCP-424](#) [ZEN-37536](#) [RREP-754](#)

• HubSpot Connector

The connector has been promoted from the "primer" to the "standard" connector category, signifying increased stability and reliability after receiving multiple smaller improvements.

[RCP-349](#) [RCP-313](#)

• JetBrains Hub

The connector has been promoted from the "primer" to the "standard" connector category, signifying increased stability and reliability after receiving multiple smaller improvements.

[RCP-348](#) [RCP-313](#)

• Intune

Added new configurable parameters - paging, [maxConcurrentRequests](#) and [maxRequestsPerSecond](#) to standard connector settings, allowing customers to fine-tune API request performance based on their specific environment and infrastructure needs.

Additionally, resolved issues with HTTP status code [429 Too many requests](#). [RCP-380](#) [ZEN-34708](#)

[RCP-413](#)

• VMware vCenter

The connector is now always enabled and does not need to be separately licensed. [RREP-675](#)

ZEN-37528

• General Improvements

Improved stability and performance of many “primer” connectors. RCP-370

Security Improvements

- Resolved a vulnerability in the v1/Authenticate/request endpoint to ensure the WWW-Authenticate header is always included in the response when a 401 Unauthorized error occurs. RREP-549 ZEN-36036
- Introduced new file type restrictions on various upload endpoints to mitigate vulnerabilities associated with accepting arbitrary and potentially malicious file inputs. RREP-548 ZEN-36036
- Administrator-edited user passwords are now correctly checked and validated against the defined passwordFormat regular expression. RREP-597

Other Improvements

- Added an ability to switch from standard OpenAI to enterprise-compliant endpoints, such as Azure OpenAI or Azure Foundry, by configuring a custom URL in the application settings. RREP-791
- Enhanced the Connectors page user experience by ensuring the search button and action bar remain active and accessible while scrolling the list. RREP-507
- It is now possible to navigate to sub-reports when accessing reports configured through Secure Mode Shared Reports, improving data drill-down functionality. RREP-646
- User Data Transformation now prioritizes the AD Mail Address over the User Principal Name (UPN) for identification, and similarly prioritizes the sn (surname) attribute for extracting the user's last name before resorting to parsing the display name. RREP-492 ZEN-35997 ZEN-36012 RCP-261 RREP-664
- Improved performance of baseline report queries. RREP-767 ZEN-37940
- Implemented a search feature within the dependency selection screen to allow users to quickly and efficiently find the desired task, resolving user experience issues associated with large task lists. RREP-391
- A warning box is now displayed when users attempt an outer join on more than four source tables, providing strategic guidance to remove duplicates or break down the join step to mitigate memory usage and potential performance issues. RREP-222
- Improved temporary space management ensures the custom temporary storage location is respected for interim files, which is crucial for maintaining performance and avoiding failures when processing large data sets. RREP-806 ZEN-37516

- Improved the internal Data Table API logic to ensure reliable processing and retrieval of extremely large data sets (e.g., millions of rows). [RREP-660](#)
- Oracle extraction tasks now utilize the RMS connection string by default, rather than the Result DB connection string, streamlining the configuration process. [RREP-816](#)
- Improved backup management logic to ensure existing surplus backup tables are actively deleted when the backup amount is reduced or set to zero. [RREP-651](#) [ZEN-37158](#)

Resolved Issues

- Resolved a task failure issue in the Active Directory connector by changing the `memberOf` column type from `TEXT` to `LONGTEXT` for MariaDB backends to accommodate users belonging to a large number of groups. [RREP-546](#)
- Resolved several issues with translated texts and localization. [RREP-428](#) [RREP-427](#) [RREP-746](#) [RREP-426](#)
[RREP-631](#) [RREP-644](#) [RREP-667](#)
- Resolved issues where snapshot tables were being erroneously processed by the ETL engine, preventing unnecessary processing and ensuring data integrity. [RREP-759](#)
- Resolved conversion errors that occurred when searching with a simple string across columns of numeric or date/time types (such as `bigint`, `float`, or `datetime2`), improving search stability and user experience across all column types. [RREP-716](#)
- Resolved issues with missing navigation links in the Installed Software and Software Device Reports. [RREP-616](#)
- Resolved issues with the Jira Connector failing due to the usage of a deprecated API. [RCP-445](#)
- Resolved issues with incorrect values returned by the Raynet One Connector - columns `import_device_id` and `guid`. [RREP-821](#)
- Resolved issues with automated scrolling of data grids after an automatic table update, ensuring the user's current view is maintained post-refresh. [RREP-731](#)
- Fixed incorrect visuals for Acquia and Acquire connectors. [RCP-418](#)
- Resolved issues where validation rules were erroneously ignored when the source was an empty table, and corrected the "Within range" rule to exclude empty target tables from percentage calculations, ensuring validation integrity for zero-entry datasets. [RREP-482](#)
- Resolved issues with table `cmp_software` containing incorrect number of rows. [ZEN-32964](#) [RREP-547](#)
- Resolved an issue where the configured value for "Max rows per bulk amount" was not being correctly applied when using a MariaDB database backend. [RREP-741](#)
- Resolved data duplication issue in the Oracle Java Detection Report by fixing an incorrectly constructed JOIN condition to include device-specific criteria, eliminating of duplicate records and restoring performance. [RREP-737](#)

- Resolved an issue where the backup system does not properly handle result tables produced by tasks that generate multiple tables simultaneously. [RREP-652](#) [ZEN-37156](#)
- Resolved a performance bug where HTTP requests triggered a large number of LDAP queries against Active Directory. This issue affected the overall system performance and sometimes was leading to errors when loading dashboards. [RREP-677](#) [ZEN-36744](#)

Notes and Breaking Changes

- The Backup Feature is now disabled by default upon installation to optimize initial performance and deployment settings. [RREP-759](#)
- Removed task “Activations over time” as its role was taken over by the main Office 365 task.

[RREP-602](#)